

Evolution – 16 Accessory Feet and Attachment Kit



Evolution – 16 Accessory Feet and Attachment Kit

You can do even more with your Baby Lock Evolution serger with the Evolution 16 Feet and Accessory Kit (BLE8FTKT)! The talented Lori Hernandez will walk you through each item that comes in this kit and how to use it, sparking all kinds of inspiration!

Skill Level: Beginner

Created by: Lori Hernandez, Baby Lock Ambassador

Watch [Getting to Know Your Evolution](#) on Sew at Home for stitch settings and threading!

Clear foot (BLE8-CLF)

- Settings for Quilt Piecing: 4-Thread Overlock, Width: M, Length: 2.5
- This is also a great foot to use the Wave Stitch with! If you need help threading your Evolution for the Wave Stitch, you can reference this video: https://www.youtube.com/watch?v=q4Oubcz_gsU (The video is filmed on the Enlighten, but, it's very similar)!

Cording Foot (BLE8-CF)

- Settings for use with 5mm cord: 4-Thread Overlock, Width: 7.5, Length: 2.5
- Zipper insertion settings: same as cord insertion above

Ruffling Foot (BLE8-RF)

- Settings: 4-Thread Overlock, Width: 7.5, Length: 4, Differential Feed: 2
- To gather one layer: lay fabric completely underneath foot
- To gather fabric up more: pull on the 2 (shorter) needle threads
- To gather and stitch to a flat fabric simultaneously: gather fabric completely underneath foot facing up and place flat fabric in slot facing down, pretty sides of fabric together.
- Hold fabric loosely, readjust continually
- How much fabric to cut lengthwise: Double to 2.5 times the gathered-up fabric needed

Evolution – 16 Accessory Feet and Attachment Kit

- For puffing: repeat on the other side of gathered fabric

Elastic Foot (BLE8-EF)

- Elastic Insertion settings: 4-Thread Overlock, Width: 7.5, Length: 2.5, Differential Feed: .6 (helps stretch), stitch a few stitches into the elastic before stitching fabric to it
- Wired Ribbon and Fishing Line Tulle Settings: 3-Thread Rolled Hem, Width: 5.0, Length: about 1.5 Rolled (can adjust accordingly), Differential Feed: N,

Blind Hem Foot (BLE8-BLHF)

- Settings: 2-Thread flatlock, Width (in video): 6.5, Length (in video): 4 (can adjust either according to look desired)

Lace Applicator Foot (BLE8-LF)

- Can use 2-Thread Flatlock, 3-Thread Rolled edge or 3-Thread Overlock (adjusting width and length according to desired look), adjust guide accordingly,
- Lori uses the 2-Thread Flatlock with the Width: M, Length: 3.5

Beading Foot (BLE8-BF)

- 2-Thread Flatlock is what was used for most beading techniques, Width: M, Length 3-4
- Stitch a couple stitches over beads first before inserting fabric
- Can also use a 3-Thread Rolled Hem to stitch beads or Satin rat cord to the edge of something, Width: 5.0, Length: 3

Fabric Guide (BLE8-FG)

- Machine set up as a Cover Stitch Narrow or Wide– Need help with Cover Stitch set up? Link to this tutorial: <http://totallystitchin.net/articles/cover-hemming-ovation>

Pintucking Foot (BLE8-PTF)

- Set up for Cover Stitch Narrow
- Use 2nd and 3rd Needle

Belt Loop Binders 3/4" (BLE8-S12) and 1 1/2" (BLE8-S11)

- Cover stitch according to the width foot that you are using – wide

Both Plain Hemmers 1/2" (BLE8-S6) and 1/4" (BLE8-S7)

- Chain Stitch in the center position with Stitch Length: 2.5 or 3

Both Double Fold Bias Binder feet 28mm (BLE8-S3) and 36mm (BLE8-S2)

- 3-Thread Cover Stitch, Stitch Length: 2.5 or 3

Here are some more video suggestions to help you get the most out of your machine:

- [Getting to Know Your Evolution](#)
- [Serger Trims – Part 1](#)
- [Serger Trims – Part 2](#)
- [Decorative Threads with Simple Serger Stitches](#)
- [Serger Accessories – Enhance Your Cover and Chain Stitching](#)
- [Project: Serger Embellished Pillow](#)
- [Project: Enlighten Serger Heirloom Quilt](#)
- [Evening Gown Hemming – 4 Methods to Success](#)
- [Serger Techniques and Tricks](#)
- [Serger Troubleshooting](#)
- [Specialty Serger Techniques For Your Baby Lock 8 Thread Serger](#)

For other exciting projects like this one, visit our websites at
www.babylock.com or www.totallystitchin.net