



BABY LOCK
SEWED
CREATE FEARLESSLY

*Baby Lock Regalia & Pro-Stitcher
Perfect Borders
Featuring Denise Applegate-Schober*

BABY LOCK REGALIA
QUILTING PERFECT BORDERS
WITH PROSTITCHER

Instructional Video
Skill Level: Intermediate

Presented By:
Denise Applegate-Schober

baby lock

FOR THE LOVE OF SEWING



baby lock

FOR THE LOVE OF SEWING

Perfect Borders with Pro-Stitcher

Let's look at turning quilts to complete the side borders in one pass. We will also look at how to quilt with a small frame.

1. Load your quilt to finish top border, center, and bottom border.
2. Denise removed the buttons and set aside to replace them later.
3. You can use tape to keep anything 3d out of the way. Dog ears are a good example of something 3d.
4. RNK Embroidery Perfection Tape was used to hold ears out of way when quilting.
5. Change your machine foot out for Glide Foot.
6. Thread machine with quilting thread. Denise used a gold Madeira 40 wt. a very neutral color.
7. Quilt with your desired designs.
8. When stitching edge to edge here are a couple things to think about.
 - a. You will want a margin for the binding edge of the border
 - b. Set borders with minimum of 4 corners
 - c. Set points in the round clockwise or counterclockwise movement.
 - d. Lower house is a refresh of the screen.
 - i. Zooming in everything on screen
 - ii. Great feature to use when viewing.
9. Once area has been created, Skew your design in the area with border skew.
10. Repeat the design to see what the design looks like.
 - a. Ready to stitch.
 - b. Verify all settings.
11. Custom change any setting for you quilting experience.
12. You can load with pins, zippers, or Red Snappers.
13. Let's quilt our first border at the top!
14. Remember to manage your threads.
15. Save design as a workspace.
 - a. Saving design
 - b. Saving area
 - c. Workspaces are saved in a different folder than the designs.
 - d. Workspaces are also purple.
 - e. Workspace – HQW file extension.
16. You can delete files and workspaces.
17. You can also pull up the save workspace or designs from your quick access menu.



FOR THE LOVE OF SEWING

18. It may take 10 or more points to set a border.
19. Flannel shifts and Pro-Stitcher will compensate our imperfections.
20. If you have a mitered corner think about using a triangle to fill the space.
21. Set your multi point corner to make your next area.
22. These corners are set just inside the seam.
23. Be sure your Pro-Stitcher is updated to the latest version.
24. This ensures you have all the new features.
25. Beta versions are your choice if you want to test with your Pro-Stitcher or not.
26. Best Practice is to have a formatted usb stick for updates.
27. Safe eject prevent corrupting files.
28. Update from the file tab and update.
29. You need to walk through all the steps that the update steps through.
30. When finished PS will reboot. Be sure to shut down PS and machine the reboot each.
31. Use the switch on the front. When shutting down machine for the day use the on off switch in the back and unplug.
32. Border skew is great when something needs to rotate. Try it we think you will fall in love.
33. Denise reset her area and set the border with border skew.
34. Put the needle down and roll fabric.
35. This gives us the ability to know our quiltable space on the frame.
36. Replace the quilt clips.
37. Baste as you go.
38. Free Hand quilting is when the gears are purple.
39. Click the Pro-Stitcher Icon to find the gears.
40. We are going to tape the 3d ears out of the way.
41. Free hand quilt where you need to, then click the gears from PS mode and free hand mode.
42. On the Baby Lock Regalia program, the Star and Diamond for the functions you would like right at our fingertips.
43. Reset the gears to be in PS mode. Click the PS icon and click the gears on the ribbon. Changing the motors back on for PS.
44. Purple gears free motion mode
45. Orange Pro-Stitcher mode
46. Green Simulation mode
47. Tip: if you need to rip out a quilt do this from the back of the quilt.
48. Set machine for basting stitching. 4"-1/4" is available on the Baby Lock Regalia.
49. You can baste in any direction.
50. Check out the stitch stats for each project or quilt.
51. Looking at Advanced Setting-
 - a. Thread Break Sensor
 - b. Simulation mode is found under advanced settings.



FOR THE LOVE OF SEWING

52. Reset stitch length from basting size. Baby Lock Regalia will remind you that you are in basting mode when using Pro-Stitcher.
53. Rolling again with the needle down.
54. Manage threads when needed.
55. Back to PS mode.
56. Continue to quilt the as desired.
57. Use channel locks to check how straight the quilt is on the frame.
58. Yarn couching – open designs work best.
 - a. Look for design that does not have too much backtracking.
 - b. You want to look for something with less density.
 - c. Use the measure to check the size of a design.
 - d. You can also use the 1:1 size at the bottom of the screen.
59. The lazy curl is open to use for yarn couching.
60. There are 3 size of yarn couching feet.
61. Check the hole opening to see that the foot is the right size for the yarn.
62. Replace Glide foot with yarn couching foot.
63. Put the foot you are taking off in the box, so you do not lose it.
64. Do not leave your machine when you are yarn couching on the longarm.
65. Set the setting for yarn couching without auto on bobbin pull up and tie offs 2.
66. Rock the yarn to feed it through the foot. Left to right with needle up and down.
67. Use a tapestry or chenille needle to bury the yarn tale.
68. Adjust the speed to 20%.
69. Stitch the yarn down.
70. Manage bobbin thread at the end.
71. Repeat the small border from the top at the bottom of the quilt
72. You may need to flip or mirror the borders to match the opposite side.
73. Set the next area and continue.
74. Change foot back to Glide foot.
75. Tip you can undo anything until the time that you turned on the PS. That's a lot of undo's.
76. Finish quilting the last two rows before taking off to turn.
77. Texture is great in a quilt. Flannel, yarn couching and floppy ears.
78. Remove quilt from frame.
79. Unlock the rails.
80. Remove the leaders off frame.
81. Reminder to manage threads.
82. Remove leaders.
83. Using Red Snappers makes quick on and off the leaders.
84. Square up edges of quilt that we are going to put back on a leader.
85. Remove all but 3-4" of fabric.



FOR THE LOVE OF SEWING

86. Repeat cleaning up the second end.
87. You can add a leader of fabric to the backing if needed.
88. Attach to the leader. Denise used Red Snappers; you can use your favorite method to load.
89. Attach the leader to the frame shifting to quilt only part of the border since the quilt is larger than the frame we are using.
90. Manage fabrics on the backing bar or top bar with quilt clips.
91. Set your area in the stitchable space.
92. Shift the quilt to the opposite end and get ready to stitch the same design on the other end.
93. If you need to shift the lead know if the time to reposition. If you have a long set of leaders, you can do the shifting without removing the leader.
94. Replace the frame in the quilting space you want to quilt in.
95. Put any extra quilt over the end of the frame.
96. Replace quilt clips.
97. Squaring up your quilt use multiple rulers taped together.
98. Try, when possible, to make a 90-degree corner.
99. Shift the quilt and fabric as needed.
100. The weight of the quilt is not your friend.
101. Quilt on table.
102. Cut the quilt until the rotary cutter at the tip of your finger.

Bind, share your talent with your family and friends.



FOR THE LOVE OF SEWING