

"Apple Core Quilt"



This gorgeous spring quilt uses the delicious twist of an apple core pattern to add a whimsical touch to traditional quilting fabrics. This quilt can be made using a die cutter and a serger to bind, making it a quick quilt to put together!

Skill Level: Beginner

Created by: Kelly Laws, Marketing Project Manager

Finished quilt size: 24 ½" x 33"

Supplies:

Baby Lock Sewing Machine

Baby Lock Evolution serger

Accuquilt Go! Die cutting system

Apple core die #55036

1 Spools Maxi-Lock serger thread

2 Spools decorative serger thread in contrasting colors

All-purpose thread to match fabrics

Monofilament or matching color of quilting thread

Quilt basting spray adhesive or safety pins

1/4 yard of green solid cotton

1/4 yard of green cotton with a muted print

1/4 yard of green with a large floral print

1/4 yard of green with a small floral print


1 yard green fabric for backing

1 yard batting

Baby Lock Projects: Apple Core Quilt

Instructions:

1. Cut 35 Apple core shapes using the Accuquilt Go! Die cutter and the apple core die. Cut 8 shapes from the large floral print, cut 9 shapes from the small floral print, cut 6 shapes from the solid cotton and 12 shapes from the muted cotton.
2. Layout the apple core shapes for the quilt rows according to the quilt image.



3. Thread the machine with all purpose thread, select the piecing stitch and attach a quarter inch foot.
4. Pin and sew one apple core shape to the next apple core shape, matching the center notches. Press the seam towards the curve.
5. Continue to pin and sew apple core shapes to complete each row.
6. Once you have pieced 7 rows, pin and sew the rows together to form the quilt top.
7. Press the pieced top.
8. Layer the batting, backing and quilted top piece. Make sure the backing fabric is 2" larger than the finished top.
9. Secure the layers for quilting using Quilter's Basting Spray or safety pins.
10. Thread the machine with monofilament thread in the bobbin and needle.
11. Attach the free-motion foot and drop the feed dogs (see machine instruction manual for assistance).
12. Stipple the entire surface of the quilt, or stitch-in-the-ditch along the edges of the apple shapes.
13. Once the quilting is finished, trim off the excess fabric.
14. To bind the edge of the quilt, thread the serger for the Baby Lock exclusive wave stitch. Using contrasting decorative threads in the lower loopers.



15. Serge around the edges of the quilt following the curve of the apple shapes.



For other exciting projects like this one, visit our Web site at www.babylock.com